

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("4820387").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 15:30
S2	457	("205"/\$.ccls. "204"/\$.ccls.) and (electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and beaker and stir\$4 and heat\$3 and cathode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 15:32
S3	0	("205"/\$.ccls. "204"/\$.ccls.) and (electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and beaker and stir\$4 and heat\$3 and cathode and anode and emitter near5 (infrared radiaton)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 15:33
S4	1	("205"/\$.ccls. "204"/\$.ccls.) and (electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and beaker and stir\$4 and heat\$3 and cathode and anode and emitter near5 (infrared radiaton)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 15:34
S5	1	("205"/\$.ccls. "204"/\$.ccls.) and (electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and beaker and stir\$4 and heat\$3 and cathode and anode and emitter near5 (uv infrared radiaton)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:51
S6	17	("205"/\$.ccls. "204"/\$.ccls.) and (electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and beaker and stir\$4 and heat\$3 and cathode and anode and heat\$3 near5 (uv infrared radiaton)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 15:38
S7	10	("205"/\$.ccls. "204"/\$.ccls.) and (electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and glass near5 beaker and stir\$4 and heat\$3 and cathode and anode and heat\$3 near5 (uv infrared radiaton)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:43

S8	3	("205"/\$.ccls. "204"/\$.ccls.) and (electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and stir\$4 and heat\$3 and cathode and anode and (heat\$3 near5 (uv infrared radiaton)) with (bath solution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 15:54
S9	25	("205"/\$.ccls. "204"/\$.ccls.) and (electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and (heat\$3 near5 (uv infrared radiaton)) with (bath solution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:15
S10	20	("205"/\$.ccls. "204"/\$.ccls.) and (prosthetic molded moulded) near5 dental	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:15
S11	18	("205"/\$.ccls. "204"/\$.ccls.) and (crown) near5 dental	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:15
S12	1	("205"/\$.ccls. "204"/\$.ccls.) and (((prosthetic molded moulded) near5 dental) ((crown) near5 dental)) and glass near5 beaker and stir\$4 and heat\$3 and cathode and anode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:40
S13	1	(electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and (((prosthetic molded moulded) near5 dental) ((crown) near5 dental)) and glass near5 beaker and stir\$4 and heat\$3 and cathode and anode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:44
S14	5	(electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and (((prosthetic molded moulded) near5 dental) ((crown) near5 dental)) and beaker and stir\$4 and heat\$3 and cathode and anode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:40
S15	1	("205"/\$.ccls. "204"/\$.ccls.) and (electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and quartz near5 beaker and stir\$4 and heat\$3 and cathode and anode and heat\$3 near5 (uv infrared radiaton)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:43

S16	166	(electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and glass near5 beaker and stir\$4 and heat\$3 and cathode and anode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:44
S17	19	(electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and glass near5 beaker and stir\$4 and heat\$3 and cathode and anode and (heat\$3 source emitter) near5 (uv infrared radiaton)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:45
S18	24	("205"/\$.ccls. "204"/\$.ccls.) and (electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and beaker and stir\$4 and heat\$3 and cathode and anode and (heat\$3 source emitter) near5 (uv infrared radiaton)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:55
S19	39	("205"/\$.ccls. "204"/\$.ccls.) and (electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and ((heat\$3 source emitter) near5 (uv infrared radiaton)) with (bath solution) not S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:56
S20	0	("205"/\$.ccls. "204"/\$.ccls.) and (electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and ((heat\$3 source emitter) near5 (uv infrared radiaton)) with (bath solution) and quartz near5 beaker not S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:17
S21	39	("205"/\$.ccls. "204"/\$.ccls.) and (electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and ((heat\$3 source emitter) near5 (uv infrared radiaton)) with (bath solution) not S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:59
S22	24	("205"/\$.ccls. "204"/\$.ccls.) and (electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and ((heat\$3 emitter) near5 (uv infrared radiaton)) with (bath solution) not S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:01

S23	261	(electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and ((heat\$3 emitter) near5 (uv infrared radiaton)) with (bath solution) not S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:01
S24	167	(electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and ((heat\$3 emitter) near5 (uv infrared radiaton)) with (bath solution) and rate not S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:02
S25	39	(electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and ((heat\$3 emitter) near5 (uv infrared radiaton)) with (bath solution) and (heat\$3) near5 rate not S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:03
S26	9	(electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and ((heat\$3 emitter) near5 (uv infrared radiaton)) with (bath solution) and (heat\$3) near5 advantage not S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:05
S27	7	(electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and ((heat\$3 emitter) near5 (uv infrared radiaton)) with (bath solution) and (uv infrared radiaton) near5 advantage not S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:05
S28	196	("205"/\$.ccls. "204"/\$.ccls.) and (electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and quartz near5 (cell chamber beaker)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:18
S29	20	("205"/\$.ccls. "204"/\$.ccls.) and (electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and quartz near5 (beaker)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:21
S30	9	("205"/\$.ccls. "204"/\$.ccls.) and (electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and quartz near5 (beaker) and (uv infrared radiaton)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:25

S31	34	("205"/\$.ccls. "204"/\$.ccls.) and (electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and glass near5 (beaker) and (uv infrared radiaton)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:22
S32	27	("205"/\$.ccls. "204"/\$.ccls.) and (electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and glass near5 (beaker) and (uv infrared radiaton) and heat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:38
S33	19	("205"/\$.ccls. "204"/\$.ccls.) and (electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and quartz near5 (beaker) and heat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:25
S34	2	("205"/\$.ccls. "204"/\$.ccls.) and (electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and glass near5 (beaker) and (uv infrared radiaton) with (bath solution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:38
S35	27	("205"/\$.ccls. "204"/\$.ccls.) and (electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and glass near5 (beaker cell chamber) and (uv infrared radiaton) with (bath solution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:40
S36	11	("205"/\$.ccls. "204"/\$.ccls.) and (electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and glass near5 (beaker container chamber) and (uv infrared radiaton) with (bath solution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:42
S37	100	(electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and glass near5 (beaker container chamber) and (uv infrared radiaton) with (bath solution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 11:16
S38	22	(electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and glass near5 (beaker container chamber) and (infrared radiaton) with (bath solution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 11:15

S39	3	(electrolysis electrolytic electrochemic\$4 electrodeposit\$5 electroplat\$5) and glass near5 (beaker container chamber) and (uv infrared radiaton) with (bath solution) and (polychromatic monochromatic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 11:16
-----	---	--	---	----	----	------------------